LEMON-AID Product:

> Page 1 of 7 04/10/14

### Identification of the substance/mixture and of the company/undertaking

Product identifier

**Trade Name:** 

LEMON-AID

1.2 Relevant indentified product use

intended use:

Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

Southside Equipment, Inc. 9406 Old Bardstown Road Louisville, KY 40291 USA

(888) 243-6506

1.4 Emergency telephone number

(800) 255-3924

Domestic USA, Canada, Puerto Rico, and US Virgin Islands

### Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 3

H226: Flammable liquid and vapour

Aspiration Hazard, Category 1

H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2

H315: Causes skin imitation

Sensitization, Skin, Category 1B

H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5

H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2

H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability

Class II Flammable Liquid

Acute Dermai/Eye

12: Causes moderate skin imitation. 16: Causes moderate eye irritation.

Acute Inhalation

24: Causes respiratory tract imitation.

Acute Oral

25: Inhalation at high levels may cause: headache.

3: May be harmful if swallowed or if aspirated into the lungs

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Product: LEMON-AID

> Page 2 of 7 04/10/14









Signal Word: Danger

**Hazard statments** 

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

Prevention:

P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
D370 + D378	In case of fire: Use Carbon dievide (CO2). Dry chemical or Feem for extinction. Do not use

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

# \_\_\_Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Product: LEMON-AID

Page 3 of 7 04/10/14

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>127-91-3</b> ß-Pinene	204-872-5	10 - 20 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
18479-58-8 2.6-dimeti	242-362-4 nyloct-7-en-2-ol	5 - 10 %	H227; H303; H315; H319; H402	11, 15
68647-72-3 Limonene	232-433-8	5 - 10 %	H226; H304; H315; H317; H400; H410	12, 3, 31
68912-13-0	272-805-7 o-methanoindeny	2 - 5 % d Propionate	H316; H401; H411	11, 15
68956-56-9	273-309-3 ons, terpene pro	2-5%	H226; H304; H315; H401; H411	12, 16, 23, 31
32210-23-4	250-954-9 lcyclohexyl acet	2-5%	H303; H317; H401	11, 15
100-86-7 Dimethyl t	202-896-0	2 - 5 % alpha,alpha-Dimo	H227; H302; H316 ethylphenethyl alcohol) n codes	

	January Niel	
<u>'121 î</u>	THE IT AIM	Measures

inhalation:

4.1 Description of first aid measures

Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Contact physician in symptoms pe

Ingestion: Rinse mouth with water and obtain medical advice.

4.2Most important symptoms and effects, both acute and delayed

Total Hydrocarbon Content (% w/w) = 21.50

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5]\_\_\_\_\_Fire-Fighting measures

5.1 Extinguishing media

Suitable:

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

-5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Product: LEMON-AID

> Page 4 of 7 04/10/14

:6 Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### **Environmental precautions** 6.2

Keep away from drains, soil, and surface and groundwater.

#### Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### Reference to other sections 6.4

Not Applicable

<u> Handling and Storage</u>

### Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### Specific end uses

No information available

Exposure Controls/Personal Protection

8.1 Control parameters

**Exposure Limits:** 

Component

**ACGIH** 

**OSHA** 

**OSHA** TWA ppm STEL ppm TWA ppm STEL ppm

127-91-3

**ß-Pinene** 

**ACGIH** 

**Engineering Controls:** 

Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection:

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection:

Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:

Conforms to Standard

Odor:

Conforms to Standard

Color:

Colorless

Product: LEMON-AID

> Page 5 of 7 04/10/14

Viscosity:

Liquid

Freezing Point:

Not determined

**Boiling Point:** 

Not determined

**Melting Point:** 

Not determined

Flashpoint (CCCFP):

120 F (48.89 C)

Auto flammability:

Not determined

**Explosive Properties:** 

None Expected

Oxidizing properties:

None Expected

Vapor Pressure (mmHg@20 C):

0.3249

%VOC:

21.5

Specific Gravity @ 25 C:

0.9610

Density @ 25 C:

0.9580

Refractive Index @ 20 C:

1.4495

Soluble in:

Not determined

### 10] Stability and Reactivity

10.1 Reactivity

None

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

None known

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products

None known

### Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

(LD50: 6,802.72) Not classified - the classification criteria are

not met

Acute toxicity - Dermal - (Rabbit) mg/kg

(LD50: 8,264.46) Not classified - the classification criteria are

not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr

(LC50: 21.90) May be harmful if inhaled

Skin corrosion / irritation

Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization Skin sensitization

Not classified - the classification criteria are not met May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity

Product: **LEMON-AID** 

> Page 6 of 7 04/10/14

Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

ļ.	<u>12</u>	<u>.</u>	_	<b>-</b> -	 Ī	co	<u>og</u>	<u>iica</u>	<u>1</u> ]	'n	<u>Fo</u>	r <u>m</u>	a	t <u>i</u> ç	ຼາກຼ	_
			_		 		_									

#### 12.1 Toxicity

Acute acquatic toxicity

Chronic acquatic toxicity

**Toxicity Data on soil** 

Toxicity on other organisms

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Other adverse effects

Not classified - the classification criteria are not met

Toxic to aquatic life with long lasting effects

no data available

# Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	i/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082
Perfumery Products		3	111	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III	•	UN3082
Perfumery Products		3	111	Flammable Liquid	UN1266
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	EII .		UN3082

Product: LEMON-AID

Page 7 of 7 04/10/14

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act):

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.1 - 1.0 %

This product contains the following components:

beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

**Total Fractional Values** 

(TFV) Risk

(2.15) Aspiration Hazard, Category 1

(12.50) Sensitization, Skin, Category 1B

(TFV) Risk

(3.00) Skin Corrosion/Irritation, Category 2

(7.34) Aquatic Chronic Toxicity, Category 2